

38 inch Stretched Bar AD Player

DS-CT3820-E2B



Features:

- *Support vertical and horizontal installation mode.
- *Super slim body design, more fashionable appearance.
- *Multiple timer switch can be set.
- *Easy to remotely control all the terminal by server.
- *Support split screen simultaneously display, can freely define video, logo, date, week, news, weather, subtitles display area.
- *Support both static text, rolling text display.
- *Support to upgrade the contents remotely or with USB.


Application:

This stretched bar advertising player are widely applied in area of bus station, railway station, shopping mall, chain store, bank, hospital, school, entertainment etc for multimedia information releasing.

Specifications:

Item	DS-CT3820-E2B	
Panel		
Size	38" TFT	
Display Area/Aspect Ratio	923×258.5mm/ 16:9	
Body Dimension (W*H*D)	963×298.5×64 mm	
Resolution	1920x540	
Brightness	400cd/m2	
Contrast	1000:1	
Viewing Angle(U/D/L/R):	89°/89°/89°/89°	
Response Time	6.4 ms	
Color	16.7M	
Main board	CPU	RK3188, Quad-core Cortex-A9, 1.6GHz
	GPU	Quad-core Mali-400 GPU
	Operating System	Android 4.2.2 (Optional)
	Internal Storage	DDR3, 1GB/2GB (Standard 1G)
	Internal Memory	8G
	Expand Storage Media	TF card
	USB port	3x USB HOST, 1xOTG
	RJ45	1, 10M/100M adaptive Ethernet
	LVDS Output	1, can drive 50/50Hz LCD panel
	HDMI Output	1
	Audio Output	3.5mm audio interface
	Speaker	2*10W D Class speaker
	Network Support	WAN/LAN/WIFI/Blue-teeth
Video Format	WMV、AVI、FLV、RM、RMVB、MPEG、TS、MP4 etc.	
Audio Format	MP3、WMA、WAV、APE、FLAC、AAC、OGG、M4A、3GPP etc.	

Image Format	BMP、JPEG、PNG、GIF etc.
Others	
Operating Temperature	0°C~50°C
Storage Temperature	-20°C~60°C
Life Span	60000h
Power Supply	100V~240V AC
Consumption	≤60W
Installation	Wall mount/Hanging

Dimension:

Application Picture: